

Message

From: Mullin, Michelle [Mullin.Michelle@epa.gov]
Sent: 1/5/2018 12:44:43 AM
To: Gibbon, Patricia A (COM) [patricia.gibbon@commerce.wa.gov]; Knapp, Anne (ECY) [akna461@ECY.WA.GOV]; Bernard, Nancy (DOH) [Nancy.Bernard@DOH.WA.GOV]; Nancy Johns [Nancy.Johns@k12.wa.us]; Hanson, Tony (COM) [tony.hanson@commerce.wa.gov]; Stilz, Tom (COM) [tom.stilz@commerce.wa.gov]; Murray, Chuck (COM) [chuck.murray@commerce.wa.gov]
CC: Underwood, Michelle (ECY) [MUND461@ECY.WA.GOV]; Wineke, Andrew (ECY) [anwi461@ECY.WA.GOV]; Zarker, Ken (ECY) [kzar461@ECY.WA.GOV]; MacIntyre, Mark [Macintyre.Mark@epa.gov]; Skadowski, Suzanne [Skadowski.Suzanne@epa.gov]; McArthur, Lisa [McArthur.Lisa@epa.gov]; Davies, Lynne [Davies.Lynne@epa.gov]
Subject: RE: PCB Concerns at Sky Valley

Hello,

The US EPA, Region 10 issued a risk-based disposal approval to Sky Valley Education Center for removal and cleanup of PCB items, as well as ongoing monitoring. Removal and cleanup activities were completed in the fall of 2016, and the approval was issued September 15, 2017, following a year of monitoring for PCBs in the buildings through indoor air and wipe samples. Wipe sample collection continues on an annual basis for ongoing monitoring.

Sincerely,

Michelle Mullin | PCB Coordinator
U.S. Environmental Protection Agency | Region 10
Office of Air and Waste
p: 206.553.1616 | mullin.michelle@epa.gov

From: Gibbon, Patricia A (COM) [mailto:patricia.gibbon@commerce.wa.gov]
Sent: Thursday, January 04, 2018 3:09 PM
To: Knapp, Anne (ECY) <akna461@ECY.WA.GOV>; Bernard, Nancy (DOH) <Nancy.Bernard@DOH.WA.GOV>; Nancy Johns <Nancy.Johns@k12.wa.us>; Mullin, Michelle <Mullin.Michelle@epa.gov>; Hanson, Tony (COM) <tony.hanson@commerce.wa.gov>; Stilz, Tom (COM) <tom.stilz@commerce.wa.gov>; Murray, Chuck (COM) <chuck.murray@commerce.wa.gov>
Cc: Underwood, Michelle (ECY) <MUND461@ECY.WA.GOV>; Wineke, Andrew (ECY) <anwi461@ECY.WA.GOV>; Zarker, Ken (ECY) <kzar461@ECY.WA.GOV>
Subject: RE: PCB Concerns at Sky Valley

Hi,

The Monroe School District isn't under contract with Commerce. I checked with McKinstry and they are still getting us our working papers and other contract information.

I would check with McKinstry who did the Energy Service Proposal and is the contractor.

pat

Pat Gibbon
Program Manager
Energy Efficiency and Solar Grants and Community Behavioral Health Beds
Department of Commerce
360.725.3023
360.522.0463 (cell)
Patricia.gibbon@commerce.wa.gov

From: Knapp, Anne (ECY)

Sent: Thursday, January 4, 2018 12:39 PM

To: Bernard, Nancy (DOH) <Nancy.Bernard@DOH.WA.GOV>; Gibbon, Patricia A (COM) <patricia.gibbon@commerce.wa.gov>; Nancy Johns <Nancy.Johns@k12.wa.us>; Michelle Mullin <mullin.michelle@epa.gov>

Cc: Underwood, Michelle (ECY) <MUND461@ECY.WA.GOV>; Wineke, Andrew (ECY) <anwi461@ECY.WA.GOV>; Zarker, Ken (ECY) <kzar461@ECY.WA.GOV>

Subject: PCB Concerns at Sky Valley

Good Afternoon,

I've seen the recent stories on PCB concerns.

<http://www.monroemonitor.com/Content/News/News/Article/District-shuts-down-Sky-Valley-Education-Center-spaces-over-contaminant-testing/26/337/10470>

I'm checking in to see if you have more information on this issue. Please let me know if you have more info or are working on this and if Ecology can help in any way.

Thanks,

Anne

Anne Knapp | Chemical Action Plan Coordinator | Washington State Department of Ecology | Hazardous Waste & Toxics Reduction Program - Reducing Toxic Threats Section | PO Box 47600, Olympia, WA 98504-7600 | 300 Desmond Drive SE Lacey, WA 98503 | 360-407-7601 direct | 360-407-6715 fax | Reply to anne.knapp@ecy.wa.gov